Kitchen Towel

A kitchen towel with a loop you can find.



- Cobalt
- Monochrome
- Sage
- Blush

Large woven ovals carry the brand without a stiff printed surface. A generous corner loop hangs easily, and the towel folds flat for a drawer or parcel.

Useful by design

- Absorbent cotton construction
- Generous hanging loop
- Flat-folding format

Use, without extra steps

1. Wash before first use
2. Use for hands or dishes as assigned
3. Hang by the loop to dry fully between uses

Proposed material system

Proposed: 100% cotton jacquard, cotton tape loop and colorfast yarns selected through wash tests.

Target dimensions

Proposed target: 500 × 700 mm; target fabric 250-300 g/m²

Proposed bill of materials

Proposed BOM: 100% cotton jacquard, cotton tape loop and colorfast yarns selected through wash tests.

Manufacturing route

Proposed route: Weave a cotton jacquard with yarn-dyed pattern, scour and finish, cut, hem and reinforce the hanging loop within the seam.

Care to validate

Proposed care: wash before first use, machine wash at 40°C with similar colors and dry fully between uses. Final care labeling requires wash validation.

Packaging and delivery

Fold flat with a recyclable paper band; no rigid box. Keep dry during storage and consolidate multiple towels per shipping carton.

The work behind the object.

Targets below are a proposed development protocol. They are not completed tests, certifications or consumer instructions.

Proposed validation gates

• Verify fiber composition, fabric weight and restricted-substance documentation from the textile supplier.

• Test wet and dry colorfastness and check seam slippage.

• Proposed loop gate: 10 N pull repeated 500 times without seam separation.

• Measure water uptake, lint release and shrinkage after 30 proposed 40°C washes; set a target below 5% dimensional change.

Risks to resolve

• Dye transfer and slow drying can undermine daily use; dense weave may reduce absorbency.

• Color finishes and dimensions remain subject to prototype and supplier validation.

Design refinement

Reinforce the loop into the hem seam and use woven color rather than a heavy printed coating.

Four finishes. One product geometry.

Approve physical color masters and lot traceability. Each pigment, glaze or coating change requires review. The render is a visual target; it is not a color standard.

Intellectual property review

No freedom-to-operate opinion or trademark clearance has been completed. Before tooling, freeze this design revision, choose manufacturing and sales territories, and have qualified counsel compare relevant patent claims and design rights with the actual CAD. Screen ODDOLI and the red-dot identity separately.

Commercial release gate

Obtain comparable supplier quotes for the final drawing, material, tooling, minimum order, packaging and inspection plan. Calculate landed cost, channel fees, returns and customer acquisition before setting a launch price. No cost, margin or demand forecast is verified for this concept.

Primary reference framework

WIPO: Launching a New Product, Freedom to Operate

USPTO: Comprehensive Clearance Search for Similar Trademarks

European Commission: Guidelines on the EU General Product Safety Legislative Framework

FTC: Labeling Requirements Under the Textile and Wool Acts

European Commission: Textiles, Leather and Fur

מגבת מטבח

מגבת מטבח עם לולאה שקל למצוא.



שחור-לבן
קובלט
סומק
מרווה

אליפסות ארוגות גדולות מבטאות את המותג בלי משטח מודפס נוקשה. לולאה רחבה בפינה מאפשרת תלייה פשוטה, והמגבת מתקפלת שטוח למגירה ולמשלוח.

פרטים עם תפקיד

- מבנה מכותנה סופגת
- לולאת תלייה רחבה
- קיפול שטוח

שימוש בלי צעדים מיותרים

1. לכבס לפני השימוש הראשון
2. לייעד לידיים או לכלים לפי הצורך
3. לתלות בלולאה לייבוש מלא בין שימושים

מערכת חומרים מוצעת

הצעה לפיתוח: ז׳קארד מ־100% כותנה, לולאת סרט כותנה וחוטים שייבחנו לעמידות צבע בכביסה.

מידות יעד

מידות יעד מוצעות: 500 × 700 מ״מ; משקל בד יעד 250-300 גרם למ״ר

רשימת רכיבים מוצעת

רכיבים מוצעים: ז׳קארד מ־100% כותנה, לולאת סרט כותנה וחוטים שייבחנו לעמידות צבע בכביסה.

מסלול ייצור

תהליך מוצע: אריגת ז׳קארד מכותנה בחוטים צבועים, ניקוי וגימור, גזירה, מכפלת וחיזוק לולאת התלייה בתוך התפר.

טיפול וניקוי לאימות

טיפול מוצע: כביסה לפני השימוש הראשון, כביסה ב־40 מעלות עם צבעים דומים וייבוש מלא בין שימושים. תווית הטיפול הסופית דורשת בדיקת כביסה.

אריזה ושילוח

קיפול שטוח עם חבק נייר שניתן למחזור, ללא קופסה קשיחה. אחסון יבש וריכוז מספר מגבות בקרטון שילוח.

העבודה שמאחורי החפץ.

היעדים שלהלן הם פרוטוקול פיתוח מוצע. הם אינם בדיקות שהושלמו, אישורים או הוראות שימוש לצרכן.

בדיקות אימות מוצעות

• אימות הרכב הסיבים, משקל הבד ומסמכי חומרים מוגבלים מהספק.

• בדיקת עמידות צבע ברטוב וביבש והחלקת תפרים.

• יעד מוצע ללולאה: משיכה של 10 ניוטון ב־500 חזרות ללא פתיחת התפר.

• מדידת ספיגת מים, שחרור סיבים והתכווצות לאחר 30 כביסות יעד ב־40 מעלות; יעד לשינוי מידות של פחות מ־5%.

סיכונים לפתרון

• העברת צבע וייבוש איטי עלולים לפגוע בשימוש; אריגה צפופה מדי עשויה להפחית ספיגה.

• גימורי הצבע והמידות כפופים לאימות אבטיפוס וספק.

שיפור בתכנון

לחזק את הלולאה בתוך תפר המכפלת ולהשתמש בצבע באריגה במקום בציפוי מודפס כבד.

ארבעה גימורים. אותה צורה.

מאשרים דוגמאות צבע פיזיות ועקיבות אצוות. שינוי פיגמנט, זיגוג או ציפוי מחייב בדיקה. ההדמיה היא כיוון חזותי ולא תקן צבע.

בדיקת קניין רוחני

טרם הושלמה חוות דעת חופש פעולה או בדיקת זמינות סימן מסחר. לפני הזמנת תבניות מקבעים מהדורת תכנון ומדינות ייצור ומכירה, ובעל מקצוע מוסמך משווה תביעות פטנט וזכויות עיצוב ל-CAD בפועל. השם אודולי וזהות הנקודה האדומה נבדקים בנפרד.

תנאי לשחרור מסחרי

מקבלים הצעות ספקים להשוואה עבור שרטוט סופי, חומר, תבניות, כמות מינימום, אריזה ותוכנית ביקורת. מחשבים עלות נוחתת, עמלות ערוץ, החזרות וגיוס לקוחות לפני קביעת מחיר השקה. למוצר זה אין עלות, מרווח או תחזית ביקוש מאומתים.

מסגרת מקורות רשמיים

WIPO: Launching a New Product, Freedom to Operate
USPTO: Comprehensive Clearance Search for Similar Trademarks
European Commission: Guidelines on the EU General Product Safety Legislative Framework
FTC: Labeling Requirements Under the Textile and Wool Acts
European Commission: Textiles, Leather and Fur